

# COVID-19 Vaccine

Summary up to  
20 Jan 2022

If you have had  
Covid-19, you need  
to wait for the  
following time  
before having a  
vaccination:

- 5-17s in highest risk groups – minimum of 4 weeks from when symptoms started/testing positive
- Under 18s – minimum of 12 weeks from when symptoms started/testing positive
- 18 and over – minimum of 4 weeks from when symptoms started/testing positive

Who	What	When	Where
5-11 year olds who are clinically at risk or living with someone immunosuppressed	Two doses	From 31 Jan 22 At least 8 weeks between doses	Selected GP practices (by invitation) Clinics at selected vaccination centres (need letter from GP/consultant)
12-15 year olds	Two doses	At least 12 weeks between doses	Clinics in schools Invite from GP Book using National Booking Service Selected walk-in clinics
12-15 year olds who are clinically at risk or living with someone immunosuppressed	Two doses + booster	At least 12 weeks between doses	Invite from local GP vaccination service Selected walk-in clinics (need letter from GP or consultant)
16-17 year olds	Two doses + booster	At least 12 weeks between doses	Invite from GP Book using National Booking Service Selected walk-in clinics
18-39 year olds	Two doses + booster	At least 8 weeks between doses 12 weeks for booster	Invite from GP Book using National Booking Service Selected walk-in clinics
40 year olds and over	Two doses + booster	At least 8 weeks between doses 12 weeks for booster	Invite from GP Book using National Booking Service Walk-in clinics
Pregnant women	Two doses + booster	At least 8 weeks between doses 12 weeks for booster	Invite from GP Book using National Booking Service Walk-in clinics
Immunosuppressed aged 12 and over	Three doses + booster	At least 8 weeks between doses one, two and three. 12 weeks between dose three and booster. Unless otherwise advised by a specialist	Invite from GP or consultant Walk-in clinics need letter from GP or consultant